PRODUCT DATA SHEET

BONDING LIQUID

GENERAL DESCRIPTION

Waterbased bonding liquid (Styrene Acrylic) is a 26.5% waterbased Styrene Co-polymer Emulsion.

APPLICATION AREAS

- Interior and exterior surfaces
- · Plaster, Cement & Drywall

PRODUCT FEATURES

- Bonding liquid 1:3 is a clear drying (milky when wet) waterbased liquid for binding and penetrating plaster, cement and drywall
- Clear drying (milky when wet) Tacky Liquid
- · Excellent Adhesion
- · Easy no mess application properties
- Quick drying 2 coats can be applied in one day

PRODUCT DATA

Physical Form: Milky white emulsion

Colour: Clear liquid - Tough and tacky

Practical: $\pm 6\text{m}^2$ per liter depending on surface porosity and application method $\pm 30-60$ mins depending on ambient temperature and humidity

Flashpoint: Waterbased
Thinning: Not recommended

Cleaning: Water. Do not allow paint to dry on the equipment

DFT - 1Coat: N/A

APPLICATION DETAILS

Mixing: Always stir well with a flat paddle before use

Application Method: Brush, roller or airless spray gun.

Thinning: This product is ready for use undiluted. Thinning will reduce its binding power.

Clean equipment with water.

Application: For Brush or Roller Application:

- · Apply 1 coat of bonding liquid 1:3 to achieve proper penetration and allow to dry for 1 hour
- Apply a second coat to ensure the substrate is properly coated

For Airless Spray Gun Application:

- Apply 1 coat of bonding liquid 1:3 to achieve proper penetration and allow to dry for 1 hour
- Apply a second coat to ensure the substrate is properly coated

SURFACE PREPARATION

Cement & Concrete Substrates

- Remove dust, foreign material, fungal and algae growth.
- Clean off all grease and oil with DegreaserSand edges if necessary prior to application

SECONDARY PRODUCTS YOU MAY NEED

- Drop Sheets
- Brushes, rollers and paint trays
- Scraper tools
- Paint Stripper
- Shield as a topcoat

HEALTH & SAFETY

This product is non-flammable. Avoid contact with eyes and mouth. If bodily contact is made, rinse immediately with water. Do not ingest, if ingested, do not induce vomiting, seek medical attention

DISCLAIMER ADVICE:

The information given in this product information sheet is based on controlled laboratory tests and many years of experience. It is given in good faith, but no guarantee of any performance characteristics is given or implied. Mocnort Paints cannot be held liable for consequential damage of whatsoever nature that may arise from the use of Mocnort products. Mocnort Paints reserves the right to update product specifications without prior notice.